OFFICIAL ENTRY BLANK



MAYHEM AT THE MILE 2018 - JUNE 9TH, 2018

COMPLETE ENTRY BLANK BELOW. MAIL TO THE ADDRESS AT THE BOTTOM OF THIS PAGE BY JUNE 1ST, 2018.

CAR NO. DESIRED (CAN BE A 1, 2, OR 3 DI		ME					
(PLEASE CHECK) FU	ULL SIZE CAR	FWD COMPACT CA	AR	POWDERPUFF (WOMEN ONLY / \$50 ENTRY) ANY PARTICIPATING COMPACT CAN COMPETE IN POWDERPUFF; MUST PAY ADDITIONAL\$50 ENTRY FEE. POWDERPUFF FOLLOWS COMPACT RULES.			
ADDRESS			CITY				
STATE	ZIPC	ODE	PHONE NO				
DRIVER'S LICENSE NO.							
DESCRIPTION OF CAR							
EMAIL ADDRESS							

THE DRIVER AND CAR WILL BE PERMITTED WITH A SINGLE REGISTRATION FEE OF \$50.00. ADDITIONAL CREW MEMBERS WILL BE PERMITTED AT \$10.00 PER CREWMAN.

W-9 (ATTACHED) MUST BE COMPLETED AND SUBMITTED WITH THIS FORM IN ORDER TO RECEIVE PURSE MONEY

SEND REGISTRATION FORM, ALONG WITH REGISTRATION FEE, TO:

MOTOR MILE SPEEDWAY - 6749 LEE HIGHWAY - RADFORD, VA - 24141

NO REFUNDS, NO EXCEPTIONS. THERE WILL BE A \$30.00 CHARGE FOR BAD CHECKS; CHECKS IN QUESTION WILL BE TURNED OVER TO LAW ENFORCEMENT.



Form (Rev. August 2013) Department of the Treasury

Request for Taxpayer Identification Number and Certification

Give Form to the requester. Do not send to the IRS.

IIICOIII	all hoveride dervice						
	Name (as shown on your income tax return)						
ge 2.	Business name/disregarded entity name, if different from above						
Print or type See Specific Instructions on page	Check appropriate box for federal tax classification: Individual/sole proprietor C Corporation S Corporation Partnership Trust/		Exemptions (see instructions):				
			Exempt payee code (if any)				
Print or type	☐ Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partnership) ▶		Exemption from FATCA reporting code (if any)				
돌등	☐ Other (see instructions) ►		¥ .				
pecific	Address (number, street, and apt. or suite no.)	ester's name and	ne and address (optional)				
See S	City, state, and ZIP code						
	List account number(s) here (optional)						
Pa	Taxpayer Identification Number (TIN)						
	r your TIN in the appropriate box. The TIN provided must match the name given on the "Name" line	Social securi	ty number				
to avoid backup withholding. For individuals, this is your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see <i>How to get a</i>							
	TIN on page 3.						
	a. If the account is in more than one name, see the chart on page 4 for guidelines on whose ber to enter.	Employer ide	r identification number				
Hum							
	rt II Certification		7/ 7/ 7/ 7/				
Unde	er penalties of perjury, I certify that:						
1. TI	he number shown on this form is my correct taxpayer identification number (or I am waiting for a num	ber to be issue	ed to me), and				
S	2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding, and						
3. I a	. I am a U.S. citizen or other U.S. person (defined below), and						
4. Th	4. The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.						
beca intere gene	iffication instructions. You must cross out item 2 above if you have been notified by the IRS that you ause you have failed to report all interest and dividends on your tax return. For real estate transactions est paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an in erally, payments other than interest and dividends, you are not required to sign the certification, but you uctions on page 3.	s, item 2 does r dividual retiren	not apply. For mor nent arrangement	tgage (IRA), and			
Sign	n Signature of						

General Instructions

Signature of U.S. person ▶

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. The IRS has created a page on IRS.gov for information about Form W-9, at www.irs.gov/w9. Information about any future developments affecting Form W-9 (such as legislation enacted after we release it) will be posted on that page

Purpose of Form

Here

A person who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) to report, for example, income paid to you, payments made to you in settlement of payment card and third party network transactions, real estate transactions, mortgage interest you paid, acquisition or abandonment of secured property, cancellation of debt, or contributions you made to an IRA.

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN to the person requesting it (the requester) and, when applicable, to:

- Certify that the TIN you are giving is correct (or you are waiting for a number to be issued).
- 2. Certify that you are not subject to backup withholding, or
- 3. Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the

withholding tax on foreign partners' share of effectively connected income, and

4. Certify that FATCA code(s) entered on this form (if any) indicating that you are exempt from the FATCA reporting, is correct.

Note. If you are a U.S. person and a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.

Definition of a U.S. person. For federal tax purposes, you are considered a U.S. person if you are:

- An individual who is a U.S. citizen or U.S. resident alien,
- A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States,
- · An estate (other than a foreign estate), or

Date >

• A domestic trust (as defined in Regulations section 301.7701-7).

Special rules for partnerships. Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax under section 1446 on any foreign partners' share of effectively connected taxable income from such business. Further, in certain cases where a Form W-9 has not been received, the rules under section 1446 require a partnership to presume that a partner is a foreign person, and pay the section 1446 withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid section 1446 withholding on your share of partnership income.



RULES AND REGULATIONS: COMPACT CARS

This Demolition Derby is promoted as an unusual spectator attraction. In the interest of safety, Drivers and Mechanics are subject to and must obey the following rules and regulations which are set up by the promoter and the track where this event is being held.

- 1-Each driver must fill out an entry blank and pay a \$50.00 entry fee. Entry fee includes driver and car. Any other crew members will have to pay a \$10.00 pit fee. All drivers must supply their own cars. Only one entry per person per class. Proof of ownership may be required on each car entered.
- 2-Must be at least 16 years of age to drive. Drivers under 18 years of age must have notarized release form signed by his or her parents or guardian.
- 3-Officials reserve the right to approve or reject any entry.
- 4-Consumption of alcoholic beverages in pit area is strictly prohibited. Any driver or pit person under the influence of drugs or alcohol will be immediately disqualified and removed from the grounds. Driver and crew will be subject to sobriety testing.
- 5-Any driver or crew member disobeying the rules will cause his or her car to be disqualified.
- 6-Unsportmanlike conduct will not be tolerated and will be grounds for disqualification and barring from future derbies. Drivers are responsible for the actions of their crew members.
- 7-Drivers and crews are responsible for any damages caused by their negligence on the track or in the pit area.
- 8-All drivers and crews are responsible for picking up trash, automobile parts, scrap metal, tires, etc. from their car.
- 9-All cars must be hauled away the night of the show. Cars left overnight will become property of Shelor Motor Mile, unless a later date of pickup is cleared with officials before you leave the night of the show.
- 10-Reckless driving in the pit area will result in disqualification.
- 11-ALL CARS MUST REGISTER AT LEAST 2 HOURS PRIOR TO START TIME.

Purses

Full Size	Compact
1 st - \$3,500	1 st - \$3,500
2 nd - \$1,000	2 nd - \$1,000
3 rd - \$500	3 rd - \$500

- -Each heat will pay \$50 to the winner.
- -Powderpuff contest will be winner-take-all, and will pay 100% of entries.

Towing and Transportation of Cars

Towing and transportation of derby cars to and from the event location must meet highway safety codes (Including proper light controls, Safety chains, Tow bars, Trailers and rollbacks)

Type of Car

- 1-Any front wheel drive car or station wagon with a wheel base of 110 inches or less.
- 2-Any rear wheel drive car or station wagon with a wheel base of 107 inches or less. Must be a unibody car. (No Full Frame Cars or No Full Frame Station Wagons)
- 3-No moving of suspension to meet wheel base. (Wheel base will be based off of factory specification.)
- 4-No engines larger than 4.9 liter V8.
- 5-No Four wheel drive or all wheel drive cars.

PREPARATION OF CAR

Trim and Glass

- 1-All glass, chrome, plastic and molding must be removed from the car.
- 2-All wheel weights must be removed.
- 3-Auto must be swept clean. No Junk tires, Wheels, Metal parts, Broken glass, etc. allowed in the car.

Gas Tank

- 1-Gas tanks may be moved to back seat area. Must be securely fastened by straps, bolts or a gas tank protector. Lines must be double clamped, or use the factory connectors.
- 2-If the gas tank is in front of the rear axle it may be left in the stock location. A gas tank protector is strongly recommended. Gas tank protector can be up to 1/8 inch plate. Plate can be bolted to the floorboard of the car. Gas tank protector my not strengthen the car in any way.

- 3-Gas tank protectors are allowed inside of the car. They cannot support or be tied into the frame of the car or support the doors of the car in any way.
- 4-You can move the filler neck from stock location to inside of the car. Must be securely fastened.
- 5-If a car is leaking or spilling gas in any way the car will be disqualified from the event.

Rear Suspensions

- 1-Rear struts can be braced or replaced with pipe.
- 2-Trailing arms may be braced, or you can run aftermarket trailing arms.

Front Suspension

- 1-Front struts can be braced or replaced with pipe.
- 2-You can weld the A arm of the car to set the height of the car. (No Reinforcing the frame or reinforcing the A arm.)
- 3-Tie rods may be reinforced, or use aftermarket tie rod ends.
- 4-CV joints can be welded, or use aftermarket CV joints.

Doors

- 1-All doors may be welded solid with flat bar no larger than ¼" thick x 3 inches wide.
- 2-Door may be wired or chained.

Trunk

- 1-Trunk seams may be welded solid with a strap no larger than ¼" thick x 3 inches wide.
- 2-Trunk may be pre bent or tucked.
- 3-You can run a bar from the roof to no further than half of the trunk lid.

Cage

- 1-A cage is mandatory. It must consist of a driver's door bar and a passenger door bar, bars no smaller than 4 inch wide and no larger than 12 inches wide. You must run a front and rear bar from door bar to door bar. It must be no smaller than 2 inches and no larger than 6 inches. If you have down bars off of your cage they must be welded to sheet metal only. You may tie the driver's side door bar to the frame or unibody (Driver's side only). It must be straight off of the door bar to the frame or unibody.
- 2-Gas tank protectors may be run, no larger than 4 inch bar run from end of door bar to end of door bar and a 4 inch bar run on both sides of the gas tank.
- 3-Rollover bars are permitted. Can be welded to cage. Cannot be welded to the frame.
- 4- Kickers are not allowed in this class. No bracing or additional metal welded to the cage in this class.

Hood and Core Support

- 1-Core support may be bolted with all thread rod no larger than 7/8". You can run it all the way from the frame through the hood.
- 2-Wire, chain or bolt the hood down in 6 spots. The all thread through the hood count as (2).

3-A 2ft x 2ft hole must be in the hood for fire detection.

Battery

- 1-One battery of any size is permitted in the front passenger floor board.
- 2-Battery must be secured and covered.

Tires

- 1-Any tire size is permitted; NHS tires and skid steer tires are permitted.
- 2-No studded tires; no screws in rims.
- 3-Valve stem protectors are allowed.
- 4-Solid, foam-filled and double tires are permitted.
- 5-No steel plate tire protectors over tires or attached to the rims.

Radiator

- 1-Radiator must remain in the stock position.
- 2-Water tanks and water barrels permitted (Must remain in the stock location.)
- 3- In this class the water tank or water barrel cannot be welded to the frame in any way.
- 4-Water tanks and water barrels cannot be mounted to the bumper.

Bumpers

- 1-Any passenger car bumper may be used.
- 2-You may use a homemade bumper. It must be no bigger than 6"x6"x3/8" wall for tube steel and 6 inch SCH 80 pipe 3/8" Wall thickness.
- 3-If you fabricate your own bumper it must be a straight piece of metal; no V or sharp points. Ends must be left open. (Do not cap the ends of the fabricated bumper.)
- 4-Bumpers cannot be wider than the car or fenders. (Measurement will be based off of the narrowest width part of the car.)
- 5- You may put a piece of pipe or tube steel in the frame, one on each side of frame, to weld to the bumper. The pipe or tube steel cannot exceed 12 inches long from the front of the factory frame. Don't bend this rule. This will be checked and if you are not within the rule you will have to cut it out or the car won't be allowed to run. Officials reserve the right to drill the frame and check.
- 6- You can weld an 8"x8"X1/2" thick plate to the end of the frame to mount the bumper to. You can bolt or weld the bumper to the plates.
- 7- Stock bumpers may be loaded or stuffed. Must have bumper skin on it.

Windshield

1-You must have at least one bar, chain or wire attached to the roof of the car and to the firewall of the car for protection from the hood.

Body Mounts

1-Body mounts must remain stock.

Body

1-No additional / extra metal can be added to the body of the car.

2-If you are running a pre run car you can patch sheet metal of same thickness and not to exceed 2 inches past tear

in the sheet metal.

3-Fender and quarter panels can be bolted. No additional metal may be added. Bolts can only be bolted to the

sheet metal of the car. No limit on size or quantity.

Frame

1-No reinforcement to the frame or unibody.

2-Frame and unibody must remain stock. The exception to this rule is the mounting pipes or tube steel that can

extend 12 inches into the frame to attach to the bumper. See bumper rule for explanation.

Engine & Transmission

1-Engine and Transmission mounts can be welded, chained or bolted solid.

Roof Sign

1-Cars must have a 2 ft. by 2 ft. roof sign with the car number on it. Must be bright paint or bright stickers.

2-Roof signs must be securely fastened to the car in such a way as to ensure it does not become detached.

For Questions or Comments... BJ Oliver: 540/765-7853 or Jimmy Williams 540/309-5805